



## KATALOG PRODUK ALAT KONSTRUKSI ( DATA SPESIFIKASI & HARGA )

1. Tamping Rammers / Stamper Kuda : Alat pemadatan Material Tanah, Asphalt, Kerikil, dll
2. Plate Compactors / Stamper Kodok : Alat pemadatan Paving Blok Material Tanah, Asphalt, Kerikil, dll
3. Reversible & Vibration Roller : Alat pemadat Material Tanah, Asphalt, Kerikil, Paving, dll
4. Vibrator Electric & Shaft Internal Vibrator : Alat pemadat Concrete ( Dengan Energi Listrik )
5. Mechanical Engine Vibrator : Alat pemadat Concrete ( Dengan Energi Bahan Bakar Minyak Petrol Gasoline )
6. Gasoline Jack Hammer / Concrete Breaker ( Alat Bobok Beton / Pemecah Batu )
7. Asphalt & Concrete Cutter + Blade Cutter : Alat pemotong Jalan Aspal / Lantai Beton
8. Vibratory Truss Screed : Alat jidar Concrete / Jidar beton di Jalan atau Lantai
9. Vibratory Wet Screed : Alat Jidar concrete / meratakan hamparan beton concrete
10. Power Trowel : Alat Finishing Concrete pada Lantai
11. Barcutter & Barbender : Alat pemotong dan Tekuk Besi Ulir beton
12. Portable Rebar Tires : Alat pengikat Kawat Bendrat
13. Water Pump 3" : Alat pompa Air Buangan

### Kondisi Pra Penawaran :

1. Harga Pengenaan pajak harap konfirmasi sebelum pemesanan
2. Harga Franco Jakarta & Sekitarnya
3. Harga terbaik yang di sepakati akan di ajukan pada Surat Penawaran Resmi (Harga dapat berubah berdasarkan Fluktuasi Nilai tukar mata uang yang berlaku saat pemesanan )
4. Pengiriman keluar kota / Luar pulau, Maka biaya Pengiriman Cargo dibiayai oleh pembeli
5. Garansi 6 Bulan ( Franco Workshop resmi – Jakarta ) : Berlaku bebas biaya service 6 Bulan (Syarat & Ketentuan Berlaku ). Tidak berlaku : Jika kerusakan teridentifikasi di sebabkan karena salah Pemakain / Kesalahan Maintenance atau Kesalahan Prosedur saat Mesin di bongkar / kerusakan saat pengiriman

### Pra-Syarat Pemesanan Barang :

1. Harap konfirmasi kepada Sales Support keadaan Stock dan kondisi barang sebelum pemesanan
2. Harap ajukan Pemesanan resmi dengan Purchase Order ( PO )
3. Harap pembayaran di lakukan jika harga sudah di sepakati dan sudah kami ajukan Invoice / Faktur resmi
4. Barang akan di kirim 1 – 2 hari setelah PO dan pelunasan ( COD harap konfirmasi / sudah di setuju penjual )
5. Pesanan Barang yang lunas / belum DP maka untuk stok barang yang tersedia tidak terikat.
6. Referensi Pembayaran Via Transfer Bank ( Via Mandiri No :118000-7855-892 a/n PT. Agusta Mitra Sukses ) ( Via BCA No. 887.041.3221 A/N Anisa Nur Fauziah Rohmah - Untuk Transaksi harga sebelum pajak )

Sales Support :  
Mobile :  
Email :



# PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 13 / 12 / 2017

## = TAMPING RAMMER / SOIL COMPACTION ( STAMPER KUDA ) =



TECHNICAL - TYPE	DYNAMIC DTR 85 H / R / DS
Impact Number	450-700 blow / min
Speed & Jumping	10-13 m / min - 80 mm
Impact Force	17.3 KN - 19,2 KN
Jumping System	Below Hydraulic System
Plate Size	1050 x 500 x 730 mm
Engine Type	-DTR 85-H : Engine 4T HONDA GX-160 ( 5,5 HP )
A	-ETR 80 D : Diesel 170-F ( 4.2 HP )
B	-DTR 85-DS : Diesel D 168F ( 6,5 HP )
C	
Fuel Tank Capacity	2.5 ltr
Fuel Consumption	1.9 ltr / hour
Weight + Accesories	85 Kg + Roda Trolley
<b>PRICE Type A ( Gasoline )</b>	<b>DTR 85 ( H / R ) : 12.000.000.-</b>
<b>Type. B - C ( Diessel )</b>	<b>ETR 85 D : 12.000.000.-</b>
	<b>DTR 85 DS : 18.000.000.-</b>

## = PLATE COMPACTOR & REVERSIBLE (STAMPER KODOK) =

TECHNICAL - TYPE	EVERYDAY C 80 H	EVERYDAY C 160 H
		
Plate size ( W x L )	520 mm x 500 mm	700 mm x 500 mm
Max Traver Speed ( m/min )	21	20
Vibrating Frequecy ( vpm )	4.930	4.500
Centrifugal Force ( Kn )	14	30
Directions	Forward	Reversible
Engine Model	HONDA GX 160	HONDA GX 270
Power ( HP )	5.5	9.0
<b>UNIT DRIVE</b>		
Weight ( kg )	85	146
Dimension ( mm )	750 x 525 x 540	785 x 480 x 1090
<b>PRICE ( IDR )</b>	<b>12.000.000</b>	<b>25.000.000</b>

Sales Support :  
Mobile :  
Email :

**= BABY ROLLER DOUBLE DRUM ( WALK BEHIND ) =**



TECHNICAL DATA - TYPE	EVERYDAY RS 600 H	EVERYDAY RS 600 D
Walk Speed ( Km/h )	0-4	0-4.5
Gradeability	30% / ≤15°	30% / ≤15°
Drive Type	Hydraulic Station	Hydraulic Transmision
Vibration Control	Automatic Cluth	Automatic Cluth
Vibration Frequency ( Hz )	70	60
Existing Force ( KN )	20	20
Water Tank ( Liter )	20	40
Hydraulic Oil Tank	21	25
Engine Model / Power ( HP )	HONDA GX 270	Changchai ZR 180
Starting Mode	9	9
Wheel Size ( mm )	425 x 600 x 2	425 x 600 x 2
Weight ( Kg )	550	660
Package Size ( mm )	1.450 x 1.100 x 1.200	2.490 x 700 x 1.130
<b>PRICE ( IDR )</b>	<b>75.000.000,-</b>	<b>85.000.000,-</b>

**= RIDE ON VIBRATOR ROLLER =**



TECHNICAL DATA - TYPE	DYNAMIC EVERYDAY RS 880 D
Walk Speed ( Km / h )	0-5
Gradeability	30% / ≤15°
Drive Type	Hydraulic Transmission
Vibration Control	Electromagnetic Clutch
Vibration Frequency ( HZ )	70
Existing Force ( Kn )	25
Water Tank ( Liter )	60
Hydraulic Oil Tank ( Liter )	19
Engine Model	Diesel
Power ( HP )	9
Starting Mode	Electric and Hand
Wheel Size Front ( mm )	540 x 740
Wheel Size Back ( mm )	540 x 800
Weight & Size	1000 Kg & 2100 x 1000 x 1650
<b>PRICE ( IDR )</b>	<b>195.000.000.-</b>

Sales Support :  
Mobile :  
Email :



**= CONCRETE VIBRATOR =**



**ELECTRIC VIBRATOR / HIGH FREQUENCY CONVERTER - MEREK DYNAMIC ( DHF Series )**

CONVERTER - TYPE	DHF 54/3	DHF 36 / 2	DHF 25 / 2
Drive	380 V3 ~	380 V3 ~	380 V3~
Input Power	4,5 kVa	3,0 kVa	2,5 kVa
Output Curent	54 A	36 A	25 A
Output Voltage	48 V3 ~	42 V3 ~	42 V3 ~
Output Freq'	200 Hz	200 Hz	200 Hz
No. Of Outlet	3	2	2
Power Cable	5m	5m	5m
Weight	58 Kg	50 Kg	37 Kg
<b>PRICE ( IDR )</b>	<b>29.500.000/U</b> <i>( Exclud Shaft )</i>	<b>25.500.000/U</b> <i>( Exclud Shaft )</i>	<b>24.000.000/U</b> <i>( Exclud Shaft )</i>
	<b>34.500.000</b> <i>( INC' DIVO 50 )</i>	<b>30.500.000</b> <i>( INC' DIVO 50 )</i>	<b>27.800.000</b> <i>( INC' DIVO 35 )</i>

SHAFT INTERNAL VIBRATOR	DIVO 38	DIVO 50	DIVO 60	DIVO 35 ( NEW )
Diameter Ø	38 mm	50 mm	60 mm	35 mm
Length(mm)	352	390	436	342
Weight	10 kg	13 kg	16 kg	9 kg
Power Source	48 V 3	48 V 3	48 V 3	48 V 3
Current	8 A	12 A	16 A	7 A
Vibrating Amplitude	1,8 mm	2,0 mm	2,2 mm	1,6 mm
Centrifugal Force	1,0 kN	3,5 kN	4,5 kN	0.90 kN

PRICE ( IDR )		1 Unit	12.550.000/u	12.900.000/u	13.800.000/u	12.550.000/u
		3 Unit	11.550.000/u	11.900.000/u	12.800.000/u	11.550.000/u
		5 Unit	11.250.000/u	11.600.000/u	12.500.000/u	11.250.000/u

**= MECHANICAL ENGINE VIBRATOR ( GASOLINE ) =**



TECHNICAL - TYPE	HONDA POWER
Engine	HONDA GX-160
Power	Honda : 5,5 HP
Fuel Tank Capacity	3,8 litre
Fuel Consumption	1,10 litre / hour
Dimension	LxWxH : 460mm x 460mm x 510mm
Weigh	35 kG
<b>PRICE ( IDR )</b>	<b>HONDA : Rp.5.500.000,-</b>
<b>ENGINE Shaft Ø 38</b>	<ul style="list-style-type: none"> <li>• 4 mtr : Rp.2.150.000,</li> <li>• 6 mtr : Rp.2.350.000,-</li> </ul>
<b>( Type Tigon - Japan Tech )</b>	
<b>ENGINE Shaft Ø 45</b>	<ul style="list-style-type: none"> <li>○ 4 mtr : Rp.2.350.000,</li> <li>○ 6 mtr : Rp.2.500.000,-</li> </ul>
<b>( Type Tigon - Japan Tech )</b>	

Sales Support :  
Mobile :  
Email :



# PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640

Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com



PRICE LIST : 13 / 12 / 2017

## = GASOLINE JACK HAMMER / CONCRETE BREAKER =



TECHNICAL - TYPE	DYNAMIC / EVERYDAY ECB 55
Impact Force	55 kN
Working Rotation Speed	4,250 r/min
Impact Number	22 HZ
Engine - House Power	2 Stroke - 2,1 HP
Dimensions	880 X 500 X 390 ( mm )
Weight	30 kg
<b>PRICE ( IDR )</b>	<b>33.000.000,- ( Includ 3 PC Chissel + Throlley )</b>

## = CONCRETE & ASPALT CUTTER =



TECHNICAL - TYPE	DCC / Q 450 - H 16	DCC /Q 450 - H 20
Maximal Diameter Blade ø	16 inch	20 inch
Maximal Cutting Depth	14 cm	18 cm
Water Tank Capacity	27 liters	27 liters
Engine Type	Air Cooled 1 Cylinder 4 T	Air Cooled 1 Cylinder 4 T
Engine Model	HONDA GX 270	HONDA GX 390
Power	6.6 Kw - 9 HP	69.6 Kw-13.0 HP
Fuel Consumption	3.5 Liters / HOUR	4.3 Liters / HOUR
Dimensions ( Weight )	1.159 x 536 x 976 ( 95 Kg )	1.159 x 536 x 976 (110 Kg)
<b>PRICE ( IDR )</b>	<b>21.000.000.-</b>	<b>23.000.000.-</b>



TECHNICAL - TYPE	DCC 500 H 18 inch - DIESEL
Maximal Diameter Blade ø	18 inch
Maximal Cutting Depth	16 cm
Water Tank Capacity	27 ltr
Engine Type	Single Cylinder, Vertical - Diesel Engine
Engine Model	Diesel Matsumoto MDX 186 FA
Power	6,3 Kw / 8,5 HP
Fuel Consumption	3.5 ltr / hour
Dimensions (L x W x H) - (mm)	1.159 x 536 x 976 mm
Weight	105 Kg
<b>PRICE ( IDR )</b>	<b>25.000.000.-</b>

BLADE CUTTER	Ø 14 "	Ø 16 "	Ø 18 "	Ø 20 "
<i>Dynamic / Husqvarna</i>	1.700.000,-	2.900.000,-	3.000.000,-	3.500.000,-
<i>WACKER / TYROLIT</i>	4.000.000,-	4.750.000,-	5.700.000,-	6.700.000,-

Sales Support :  
Mobile :  
Email :



**= VIBRATORY TRUSS SCREED =**



EVERYDAY DYNAMIC TSP 6 ( MODEL VTS 600 )	POWER SECTION TSP 3	CENTER – END SECTION TSC 3 + TSE 3
L x W x H ( mm )	3.000 ( 1.500 + 1.500 ) x 350 x 475	3.000 ( 1.500 + 1.500 ) x 350 x 475
Engine	HONDA GX 270	
Power	9.0 HP / 7 kW	
Vibration Freq ( m/min)	2650	
Weight	95 Kg	45 Kg
<b>PRICE ( IDR ) Acc- Outrigger 45 mm</b>	<b>65.000.000,- 1.600.000,-</b>	<b>( Includ Paket ) 1.600.000,-</b>

**= VIBRATORY WET SCREED =**

TECHNICAL DATA	EVERYDAY SFS 1
Drive Engine	HONDA GX 35 /1.1 Kw/ 1.5 HP- 4 T
Mechanism Capacity	Freq 8700 rpm / Centrifugal 1500 kG
Overall Size &Weight	1120 X 550 X 930mm - 13,5 kg
<b>PRICE ( IDR ) ( NETTO )</b> ➤ Franco Jakarta ➤ Blade Only (Charge Delivery)	✓ <b>Only Engine : 11.750.000,-</b> ○ <b>Paket in 1,2 m : 15.500.000,-</b> ○ <b>Paket in 1,8 m : 15.750.000,-</b> ○ <b>Paket in 2.4 m : 16.000.000,-</b> ○ <b>Paket in 3.0 m : 16.500.000,-</b>



**= POWER TROWEL =**



TECHNICAL - TYPE	DYNAMIC DPT 36 H	EVERYDAY S 100
Trowel Diameter	910 mm	920 mm
Blade size ( w x l )	205 x 343 mm	205 x 343 mm
Trowel speed	50 – 100 rpm	60 – 100 rpm
Engine	HONDA GX-160 ( 5,5 HP )	HONDA GX-160 ( 5,5 HP )
Dimensions ( H X W )	810 x 1.010 mm	750 x 1.020 mm
Weight	78 Kg	78 Kg
<b>PRICE ( IDR )</b>	<b>17.500.000,-</b>	<b>13.500.000,-</b>

Sales Support :  
Mobile :  
Email :



**= BARCUTTER & BARBENDER =**



EVERYDAY TYPE	Max. Bar Diameter	Motor Power	Operating Weight	Price List ( IDR )	PRICE / SET ( IDR )
BAR CUTTER BC 42	32 mm	4.0 HP	470 kg	46,000,000 / unit	<b>80.000.000,-</b>
BAR BENDER BB 52	32 mm	5,4 HP	466 kg	52,000,000 / unit	<i>( Paket 1 Cutter + 1 Bender )</i>

Type	Max. Bar Diameter	Motor Power	Operating Weight	Price List ( IDR )	PRICE / SET ( IDR )
BAR CUTTER BC 40	25 mm	4.0 HP	380 kg	35,000,000 / unit	<b>60.000.000,-</b>
BAR BENDER BB 40	25 mm	4.0 HP	305 kg	35,000,000 / unit	<i>( Paket 1 Cutter + 1 Bender )</i>

**= SPIRAL BARBENDER =**



TECHNICAL - TYPE	DYNAMIC EVERYDAY SB 32
Max Bending	25 mm
Angle Bending	180 ° / Second
Motor Power	4 HP
Electrical Phasa	3 Phasa AC 220-415, 50/60 hZ
Dimensions	900 X 800 X 850 ( mm )
Weight	340 kg
<b>PRICE ( IDR )</b>	<b>45.000.000,-</b>

**= PORTABLE REBAR CUTTER =**



TECHNICAL - TYPE	DYNAMIC RC 20	DYNAMIC RC 25
Power	850 w / 220 V / 50 HZ	1.300 w / 220 V / 50 HZ
Max. Dia- Cutting ( mm )	20	25
Cutting Pressure ( Ton )	15	30
Cutting Speed ( s )	4.0 - 5.0	5.0
Weight ( w/ Packaging ) - ( Kg )	13 ( 18.5 )	24.5 ( 32 )
Machine Size ( mm )	410 x 115 x 220	480 x 150 x 255
<b>PRICE ( IDR )</b>	<b>14.000.000,-</b>	<b>18.000.000,-</b>

Sales Support :  
Mobile :  
Email :

**= PORTABLE REBAR TIRES WL 400 =**



TECHNICAL - TYPE	DYNAMIC WL 400
Battery Type	Ni-MH Charger Voltage 110 - 240 V
Motor Voltage ( V )	9.6
Max Tying Dia- ( mm )	25
Wire Diameter ( mm )	0.8
Wire Length ( cm )	53 - 79
Weight ( Kg ) & Dimension ( mm )	2.1 & 277 x 100 x 290
<b>PRICE ( IDR )</b>	<b>20.000.000,-</b>


**= PORTABLE CONCRETE CUTTER =**

idngyue.com



TECHNICAL - TYPE	DYNAMIC EC 35
Blade Diameter	300 - 350
Max. Cutting Depth ( mm )	125
Blade Speed ( r / min )	5.400
Engine Model	2-Stroke
Power ( HP )	4.5
Weight ( Kg ) & Dimensions ( mm )	15 & 670 x 280 x 460
<b>PRICE ( IDR )</b>	<b>15.500.000,-</b>

**= WATER PUMP DCP 30X (3") =**

	<b>PRICE ( IDR )</b>
	<b>UNIT DCP-30 X : Rp. 6.850.000,-</b> <b>ACCESORIES :</b> A. <b>Hose Flexible 3" : 62.500 / Meter</b>

	TECHNICAL DATA	DCP - 30 X
ENGINE	Inlet House	3 (80 mm)
	Outlet House Dia. (inch)	3 (80 mm)
	Rotation Velocity (rpm)	3600
	Suction Height (m)	8
	Max. Delivery (m)	30
	Max. Flow Rate (l/min)	800
	Duration of Runs (h)	2
	Type & Max. Power Output	4-Stroke OHV - 4.7 kW / 3600 rpm
Ignition System	Non-contact transistorized ignition (T.C.I.)	
COMPLETE UNIT	Length x Width x Height (mm)	540 x 445 x 480
	Selang Flexible + Clamp	3" Inch
	Dry Mass (Kg)	31 ( Non Packaging )

Sales Support :  
 Mobile :  
 Email :





# PT. AGUSTA MITRA SUKSES

Jl. H. Muchtar Raya No. 30, Joglo, Kembangan, Jakarta Barat – DKI Jakarta 11640



Telepon / Fax (021) 22540184 / Mobile Hotline : 082260088165

Web : www.ams-jkt.com E-mail: ams.jkt01@yahoo.com





PRICE LIST : 13 / 12 / 2017

## = CONCRETE BUCKET / BUCKET COR =

	<b>BUCKET COR 0,8 Kubik</b> 
BC 1000 L	BC 800 L
Thick ( mm ) : 4	Thick ( mm ) : 4
Diameter ( mm ) : 1.450	Diameter ( mm ) : 1.350
Capacity Weight ( Liter ) : 1000	Capacity Weight ( Liter ) : 800
Diameter Hose ( Inch ) : 8	Diameter Hose ( Inch ) : 8
Lenght Hose ( m ) : 5	Lenght Hose ( m ) : 5
<b>Rp. 22.000.000.-</b>	<b>Rp. 20.000.000.-</b>

## = ELECTRIC CONCRETE VIBRATOR=

ENAR ( Made in Spain ) : HIGH FREQUENCY CONVERTER ( 3 pHASA )

TECHNICAL DATA -TYPE	<b>AFE 3500</b> 	<b>AFE 2500 T</b> 
Power Drive	380 V3 ~	380 V3 ~
Input Power	4,5 kVa	3,0 kVa
Output Curent	54 AMPERE	36 AMPERE
Output Voltage	48 V3 ~	42 V3 ~
Output Frequency	200 Hz	200 Hz
No. Of Outlet	4 Plug ( Max- 54 A / Space Under 3 A )	3 Plug ( Max- 36 A / Space Under 3 A )
Length Power Cable	5 Mtr	5 Mtr
Weight ( non Packaging )	58 Kg	50 Kg
<b>PRICE @ ( IDR )</b>	<b>36.000.000.-</b>	<b>25.000.000.-</b>

## ENAR ( M' / AFP - Series ) SHAFT FLEXIBLE INTERNAL VIBRATOR



DATA - TYPE	M 38	M 5 AFP	M6 AFP
Head Tube Diameter	Ø38 mm	Ø50 mm	Ø 60 mm
Length (mm)	352	390	436
Weight	10 kg	13 kg	16 kg
Power Source / RPM	48 V 3 / 12000	48 V 3 / 12000	48 V 3 / 12000
Frequency	200 Hz	200 Hz	200 Hz
Current	8 A	12 A	16 A
Centrifugal Force	1,0 kN	3,5 kN	4,5 kN
Hose Length + CABLE	5 m + 10 M	5 m + 10 M	5 m + 10 M
<b>PRICE @ ( IDR )</b>	<b>12.650.000.-</b>	<b>14.300.000.-</b>	<b>15.500.000.-</b>

#notes : Harga dapat di peroleh lebih murah bila di beli dengan harga Paket 1 Converter + 1 Shaft internal Vibrator

Sales Support :  
 Mobile :  
 Email :